



## IMPORTANT NOTES

1. WRITTEN DIMENSIONS HAVE PRECEDENCE OVER SCALE IN ALL CASES.
2. THE GENERAL CONTRACTOR MUST VERIFY ALL BUILDING DIMENSIONS, EQUIPMENT, FURNITURE PLACEMENT, UTILITY LOCATIONS, AND CONDITIONS AT THE JOB SITE.
3. THE GENERAL CONTRACTOR MUST NOTIFY CHI OF ALL DISCREPANCIES AND/OR REQUIRED ADJUSTMENTS PRIOR TO STARTING WORK.
4. DO NOT SCALE OFF PLANS. CALL YOUR CHI PROJECT MANAGER TO VERIFY ANY QUESTIONABLE DIMENSIONS (616) 399.6000
5. ALL DIMENSIONS ARE FOR DESIGN INTENT ONLY.
6. CHARTER-HOUSE HAS PREPARED THESE DOCUMENTS AS ACCURATELY AS POSSIBLE WITH THE ARCHITECTURAL INFORMATION PROVIDED. DUE TO LACK OF ACCURATE AND COMPLETE DIMENSIONED ARCHITECTURAL PLANS, OWNER UNDERSTANDS THAT ADJUSTMENTS TO THE FINAL LOCATIONS OF EQUIPMENT AND/OR FURNITURE PLACEMENT MAY BE REQUIRED AT THE OWNER'S EXPENSE DUE TO DISCREPANCIES BASED ON ACTUAL JOB SITE DIMENSIONS AND CONDITIONS.
7. REFER TO ARCHITECTURAL OR ENGINEER DRAWINGS FOR COMPLETE AND ACCURATE DIMENSIONS OF BUILDING STRUCTURE.
8. THESE CONTRACT DOCUMENTS AND THE INFORMATION THEY CONTAIN ARE THE PROPERTY OF CHARTER-HOUSE.
9. ALL CONTRACT DOCUMENTS MAY NOT BE COPIED, REPRODUCED, USED OR IMPLEMENTED IN ANY WAY, IN PART OR IN WHOLE, WITHOUT THE EXPRESS WRITTEN CONSENT OF CHARTER-HOUSE.
10. ANY UNAUTHORIZED USE OF THESE PLANS WILL RESULT IN PAYMENT DUE FOR SERVICES RENDERED BY CHARTER-HOUSE.
11. ANY DEVIATIONS FROM THESE DRAWINGS FOR ANY REASON SHALL NOT BE DONE WITHOUT CONSENT OF CHARTER-HOUSE IN ADVANCE. IN WRITING, CHARTER-HOUSE IS NOT RESPONSIBLE FOR DEVIATIONS, CHANGES, ADDITIONS, OR DELETIONS NOT REVIEWED AND APPROVED IN ADVANCE BY CHARTER-HOUSE.
12. THESE DOCUMENTS REFLECT EQUIPMENT ORDERED OF DATE SHOWN BELOW.

## Arena Box Base Booth




## Pocket Cleat




## Pinch Cleat


PINCH CLEATS ARE USED TO CONNECT WALLS TOGETHER, AND TO HOLD DECOR ON WALLS. CLEATS ARE CONSTRUCTED TO FIT APPLICATION. A POCKET IS CREATED ON ONE PART WITH A CONNECTING STUD. THE CLEAT IS MOUNTED TO AN ADJOINING SURFACE. GLUE SHOULD BE ADDED AFTER PARTS HAVE BEEN CHECKED FOR PROPER FIT. PARTS SHOULD PULL TOGETHER PROVIDING A TIGHT FITTED JOINT. SOME PINCH CLEATS ARE SHIPPED LOOSE AND LOCATED IN POCKET TAPPED OR SCREWED TO CONNECTING STUD. REMOVE CLEAT MEASURE OUT LOCATION AND INSTALL.



## Metro Box Base Booth



## Table Top Steel



SHEET TITLE:

## INSTALLATION INSTRUCTIONS




ARENA- METRO BOOTHS & TABLES

SHEET NO:


## IMPORTANT NOTES

- WRITTEN DIMENSIONS HAVE PRECEDENCE OVER SCALE IN ALL CASES.
- THE GENERAL CONTRACTOR MUST VERIFY ALL BUILDING DIMENSIONS, EQUIPMENT, FURNITURE PLACEMENT, UTILITY LOCATIONS, AND CONDITIONS AT THE JOB SITE.
- THE GENERAL CONTRACTOR MUST NOTIFY CHI OF ALL DISCREPANCIES AND/OR REQUIRED ADJUSTMENTS PRIOR TO STARTING WORK.
- DO NOT SCALE OFF PLANS. CALL YOUR CHI PROJECT MANAGER TO VERIFY ANY QUESTIONABLE DIMENSIONS (616) 399.6000
- ALL DIMENSIONS ARE FOR DESIGN INTENT ONLY.
- CHARTER-HOUSE HAS PREPARED THESE DOCUMENTS AS ACCURATELY AS POSSIBLE WITH THE ARCHITECTURAL INFORMATION PROVIDED. DUE TO LACK OF ACCURATE AND COMPLETE DIMENSIONED ARCHITECTURAL PLANS, OWNER UNDERSTANDS THAT ADJUSTMENTS TO THE FINAL LOCATIONS OF EQUIPMENT AND/OR FURNITURE PLACEMENT MAY BE REQUIRED AT THE OWNER'S EXPENSE DUE TO DISCREPANCIES BASED ON ACTUAL JOB SITE DIMENSIONS AND CONDITIONS.
- REFER TO ARCHITECTURAL OR ENGINEER DRAWINGS FOR COMPLETE AND ACCURATE DIMENSIONS OF BUILDING STRUCTURE.
- THESE CONTRACT DOCUMENTS AND THE INFORMATION THEY CONTAIN ARE THE PROPERTY OF CHARTER-HOUSE.
- ALL CONTRACT DOCUMENTS MAY NOT BE COPIED, REPRODUCED, USED OR IMPLEMENTED IN ANY WAY, IN PART OR IN WHOLE, WITHOUT THE EXPRESS WRITTEN CONSENT OF CHARTER-HOUSE.
- ANY UNAUTHORIZED USE OF THESE PLANS WILL RESULT IN PAYMENT DUE FOR SERVICES RENDERED BY CHARTER-HOUSE.
- ANY DEVIATIONS FROM THESE DRAWINGS FOR ANY REASON SHALL NOT BE DONE WITHOUT CONSENT OF CHARTER-HOUSE IN ADVANCE. IN WRITING, CHARTER-HOUSE IS NOT RESPONSIBLE FOR DEVIATIONS, CHANGES, ADDITIONS, OR DELETIONS NOT REVIEWED AND APPROVED IN ADVANCE BY CHARTER-HOUSE.
- THESE DOCUMENTS REFLECT EQUIPMENT ORDERED OF DATE SHOWN BELOW.



## Floor Clip Wall



## Floor Clip Round Leg




FLOOR CLIPPED LEG  
CHECK FLOOR PLAN FOR PROPER PLACEMENT OF UNIT. MARK LOCATION ON FLOOR. DRILL (DRILL BIT 204725-1) HOLE FOR TAPCON (204725). MOUNT MALE END (204629) TO FLOOR SLIDE LEG OVER FLOOR CLIP AND INSERT SCREW (1028170) TO HOLD UNIT IN PLACE.




## Bimini Floor Clip Steel


SET UNIT IN PLACE MARK LOCATION OF LEG DRAW X FROM CORNER TO CORNER OF SQUARE DRILL HOLE (DRILL BIT 1028170-1) ANCHOR CLIP TO FLOOR (CLIP 202973-4) WITH TAPCON (204725)



- SECURE BRACKET TO FLOOR  
(Make sure bracket is facing in the right direction there should be a hole in leg for screw)
- SLIDE 1-1/2" X 1-1/2" STEEL OVER BRACKET
- SECURE LEGS TO BRACKET



## Bolt-down Table/Chair Steel



## Floor Clip Square Steel for Implist/Response/Fuze Booths

SHEET TITLE:

# INSTALLATION INSTRUCTIONS

## BOLT DOWN & FLOOR CLIP STEEL


SHEET NO:

2 OF 4


## IMPORTANT NOTES

- WRITTEN DIMENSIONS HAVE PRECEDENCE OVER SCALE IN ALL CASES.
- THE GENERAL CONTRACTOR MUST VERIFY ALL BUILDING DIMENSIONS, EQUIPMENT, FURNITURE PLACEMENT, UTILITY LOCATIONS, AND CONDITIONS AT THE JOB SITE.
- THE GENERAL CONTRACTOR MUST NOTIFY CHI OF ALL DISCREPANCIES AND/OR REQUIRED ADJUSTMENTS PRIOR TO STARTING WORK.
- DO NOT SCALE OFF PLANS. CALL YOUR CHI PROJECT MANAGER TO VERIFY ANY QUESTIONABLE DIMENSIONS (616) 399.6000
- ALL DIMENSIONS ARE FOR DESIGN INTENT ONLY.
- CHARTER-HOUSE HAS PREPARED THESE DOCUMENTS AS ACCURATELY AS POSSIBLE WITH THE ARCHITECTURAL INFORMATION PROVIDED. DUE TO LACK OF ACCURATE AND COMPLETE DIMENSIONED ARCHITECTURAL PLANS, OWNER UNDERSTANDS THAT ADJUSTMENTS TO THE FINAL LOCATIONS OF EQUIPMENT AND/OR FURNITURE PLACEMENT MAY BE REQUIRED AT THE OWNER'S EXPENSE DUE TO DISCREPANCIES BASED ON ACTUAL JOB SITE DIMENSIONS AND CONDITIONS.
- REFER TO ARCHITECTURAL OR ENGINEER DRAWINGS FOR COMPLETE AND ACCURATE DIMENSIONS OF BUILDING STRUCTURE.
- THESE CONTRACT DOCUMENTS AND THE INFORMATION THEY CONTAIN ARE THE PROPERTY OF CHARTER-HOUSE.
- ALL CONTRACT DOCUMENTS MAY NOT BE COPIED, REPRODUCED, USED OR IMPLEMENTED IN ANY WAY, IN PART OR IN WHOLE, WITHOUT THE EXPRESS WRITTEN CONSENT OF CHARTER-HOUSE.
- ANY UNAUTHORIZED USE OF THESE PLANS IN PAYMENT DUE FOR SERVICES RENDERED BY CHARTER-HOUSE.
- ANY DEVIATIONS FROM THESE DRAWINGS FOR ANY REASON SHALL NOT BE DONE WITHOUT CONSENT OF CHARTER-HOUSE IN ADVANCE. IN WRITING, CHARTER-HOUSE IS NOT RESPONSIBLE FOR DEVIATIONS, CHANGES, ADDITIONS, OR DELETIONS NOT REVIEWED AND APPROVED IN ADVANCE BY CHARTER-HOUSE.
- THESE DOCUMENTS REFLECT EQUIPMENT ORDERED OF DATE SHOWN BELOW.


## Decor Stand-Off



## Decor Cable




## Hanging Soffit: Threaded Rod




## Decor Post

ROUND POST SYSTEM TO HOLD GLASS OR ACRYLIC DECOR PANELS.  
BEFORE INSTALLATION, LAY-OUT ALL PARTS, FIND START LOCATION AND MOUNT LUG (203722). MEASURE TO FIND NEXT LOCATION OF LUG. INSTALL POST (202457), AND USING SMALL AMOUNT SILICONE ADHESIVE MOUNT DECOR PANEL IN PLACE. CONTINUE TO NEXT SECTION



## Chi-Lite



SHEET TITLE:

# INSTALLATION INSTRUCTIONS

CHI-LITE DECOR


SHEET NO:

3 OF 4


## Typical Divider Wall: Base Tiled

MOST WALLS GET SOLID SURFACE TOP CAPS. TOP CAPS ARE SHIPPED LOOSE SO THEY CAN BE NOTCHED OR CUT TO FIT APPLICATION. USE SILICONE ADHESIVE TO ATTACH TOP CAP,

THE WALL IN THIS APPLICATION IS CORED TO THE FLOOR. A HOLE IS DRILLED INTO THE FLOOR 3-4" IN DIAMETER 4" DEEP. THE WALL IS SET INTO PLACE WITH STEEL IN THE HOLES AND POUR ROCK IS ADDED THROUGH THE OPENINGS IN THE WALL TO SECURE IT TO THE FLOOR. BASE TILE IS INSTALLED AROUND BASE OF WALL OVER HOLES



## Ceiling Decor Flange



DRILL HOLE IN CEILING TO ALLOW POST TO PASS THROUGH. INSERT POST INTO CEILING WITH FLANGE SITTING LOOSE ON POST. SLIDE FLANGE UP TO CEILING AND SECURE WITH SET SCREW. 1-1/2" STAINLESS SCREWS ARE OPTIONAL.


1-1/2" #10 STAINLESS STEEL SCREW (204592) 3 PER FLANGE (NOTE: USE OF THESE SCREWS IS OPTIONAL)




## Typical Divider Wall: Raised

MOST WALLS GET SOLID SURFACE TOP CAPS. TOP CAPS ARE SHIPPED LOOSE SO THEY CAN BE NOTCHED OR CUT TO FIT APPLICATION. USE SILICONE ADHESIVE TO ATTACH TOP CAP,

THE WALL IN THIS APPLICATION IS CORED TO THE FLOOR. A HOLE IS DRILLED INTO THE FLOOR 3-4" IN DIAMETER 4" DEEP. THE WALL IS SET INTO PLACE WITH STEEL IN THE HOLES AND POUR ROCK IS ADDED INTO HOLES IN FLOOR TO SECURE THE WALL TO THE FLOOR



## Decor/Divider Wall Flange



1-1/2" FLANGE (202477) AND POST. USING FLOOR PLAN SET UNIT IN PLACE, MARK LOCATION. SET FLANGE IN PLACE, MOUNT FLANGE WITH 1-1/2" SCREWS (204592). SET UNIT IN FLANGES. TIGHTEN SET SCREW (204340) TO HOLD UNIT IN FLANGE.

## IMPORTANT NOTES

1. WRITTEN DIMENSIONS HAVE PRECEDENCE OVER SCALE IN ALL CASES.
2. THE GENERAL CONTRACTOR MUST VERIFY ALL BUILDING DIMENSIONS, EQUIPMENT, FURNITURE PLACEMENT, UTILITY LOCATIONS, AND CONDITIONS AT THE JOB SITE.
3. THE GENERAL CONTRACTOR MUST NOTIFY CHi OF ALL DISCREPANCIES AND/OR REQUIRED ADJUSTMENTS PRIOR TO STARTING WORK.
4. DO NOT SCALE OFF PLANS. CALL YOUR CHi PROJECT MANAGER TO VERIFY ANY QUESTIONABLE DIMENSIONS (616) 399.6000
5. ALL DIMENSIONS ARE FOR DESIGN INTENT ONLY.
6. CHARTER-HOUSE HAS PREPARED THESE DOCUMENTS AS ACCURATELY AS POSSIBLE WITH THE ARCHITECTURAL INFORMATION PROVIDED. DUE TO LACK OF ACCURATE AND COMPLETE DIMENSIONED ARCHITECTURAL PLANS, OWNER UNDERSTANDS THAT ADJUSTMENTS TO THE FINAL LOCATIONS OF EQUIPMENT AND/OR FURNITURE PLACEMENT MAY BE REQUIRED AT THE OWNER'S EXPENSE DUE TO DISCREPANCIES BASED ON ACTUAL JOB SITE DIMENSIONS AND CONDITIONS.
7. REFER TO ARCHITECTURAL OR ENGINEER DRAWINGS FOR COMPLETE AND ACCURATE DIMENSIONS OF BUILDING STRUCTURE.
8. THESE CONTRACT DOCUMENTS AND THE INFORMATION THEY CONTAIN ARE THE PROPERTY OF CHARTER-HOUSE.
9. ALL CONTRACT DOCUMENTS MAY NOT BE COPIED, REPRODUCED, USED OR IMPLEMENTED IN ANY WAY, IN PART OR IN WHOLE, WITHOUT THE EXPRESS WRITTEN CONSENT OF CHARTER-HOUSE.
10. ANY UNAUTHORIZED USE OF THESE PLANS WILL RESULT IN PAYMENT DUE FOR SERVICES RENDERED BY CHARTER-HOUSE.
11. ANY DEVIATIONS FROM THESE DRAWINGS FOR ANY REASON SHALL NOT BE DONE WITHOUT CONSENT OF CHARTER-HOUSE IN ADVANCE, IN WRITING. CHARTER-HOUSE IS NOT RESPONSIBLE FOR DEVIATIONS, CHANGES, ADDITIONS, OR DELETIONS NOT REVIEWED AND APPROVED IN ADVANCE BY CHARTER-HOUSE.
12. THESE DOCUMENTS REFLECT EQUIPMENT ORDERED OF DATE SHOWN BELOW.

SHEET TITLE:

# INSTALLATION INSTRUCTIONS

DIVIDER WALLS

SHEET NO:

4 OF 4